

FlexTable: Conduit Table

Current Time: 0.000 hours														
ID	Label	Start Node	Stop Node	Length (Feet)	Catalog Class	Elevation Ground (Start) (ft)	Elevation Ground (Stop) (ft)	Invert (Start) (ft)	Invert (Stop) (ft)	Elevation Crown (Start) (ft)	Elevation Crown (Stop) (ft)	Slope (Calculated) (m/m)	Material	Velocity (m/s)
169	CE-71	BE-66	BE-67	44.73	<Name>	32.05	32.07	30.95	30.55	31.15	30.75	8.942	Concrete	0.51
177	CE-72	BE-68	BE-69	44.30	<Name>	32.83	32.77	31.49	31.03	31.69	31.23	10.385	Concrete	0.53
178	CE-73	BE-69	BE-70	46.40	<Name>	32.87	32.82	31.03	30.77	31.23	30.97	8.840	Concrete	0.53
179	CE-74	BE-70	BE-71	47.85	<Name>	32.87	32.64	31.67	31.26	31.87	31.46	8.569	Concrete	0.51
215	CE-75	BE-73	BE-74	18.53	<Name>	32.38	32.35	31.04	30.82	31.24	31.02	11.880	Concrete	0.56
179	CE-76	BE-67	BE-72	52.87	<Name>	32.07	32.15	30.55	29.80	30.75	30.00	14.188	Concrete	0.59
180	CE-77	BE-72	BE-73	62.17	<Name>	32.18	32.28	29.80	29.41	30.30	29.61	6.277	Concrete	0.44
180	CE-78	BE-73	BE-74	47.77	<Name>	32.35	32.44	30.82	30.44	31.02	30.64	7.693	Concrete	0.48
180	CE-79	BE-74	BE-75	44.03	<Name>	32.87	32.44	31.67	31.18	31.87	31.36	11.388	Concrete	0.56
186	CE-80	BE-74	BE-76	21.23	<Name>	32.44	32.40	30.46	30.46	30.46	30.36	14.128	Concrete	0.59
215	CE-81a	BE-74	BE-72	5.52	<Name>	32.44	32.35	30.14	29.80	30.34	30.00	61.632	Concrete	0.99
216	CE-82	BE-71	BE-73	41.04	<Name>	32.04	32.35	31.26	30.82	31.46	31.02	9.991	Concrete	0.53
222	CE-102	BE-76	BE-66	13.91	<Name>	32.05	32.03	31.10	30.95	31.30	31.15	9.431	Concrete	0.53
Depth (Average End) / Rise (%)														
15	1.50	1.63	200.0	0.013	31.0312									
14.5	1.50	1.63	200.0	0.013	31.0312									
14.5	1.50	1.74	200.0	0.013	32.9473									
14.5	1.50	1.60	200.0	0.013	31.3004									
14	1.50	2.03	200.0	0.013	35.7494									
11.5	1.50	2.35	200.0	0.013	39.8939									
14.5	1.50	1.25	200.0	0.013	29.9768									
15.5	1.50	1.49	200.0	0.013	29.3239									
14	1.50	1.98	200.0	0.013	35.1031									
13.5	1.50	2.34	200.0	0.013	38.9844									
14.5	1.50	7.11	200.0	0.013	61.4344									
14.5	1.50	1.76	200.0	0.013	32.7932									
14.5	1.50	1.67	200.0	0.013	31.8214									

Aic, Externite, LHM, Astelle, stow
11/26/2015

Bentley Systems, Inc. Haestad Methods Solution Center
27 Shenn Company Drive Suite 201 W. Watertown, CT 06795 USA +1-203-755-1666

Bentley SewerGENS VB (SELECT/Tier3)
[B11.03.77]
Page 1 of 1

FlexTable: Conduit Table

Current Time: 0.000 hours														
ID	Label	Start Node	Stop Node	Length (m)	Catalog Class	Elevation Ground (Start) (m)	Elevation Ground (Stop) (m)	Invert (Start) (m)	Invert (Stop) (m)	Elevation Crown (Start) (m)	Elevation Crown (Stop) (m)	Slope (Calculated) (m/m)	Material	Velocity (m/s)
31	CE-1	BE-1	BE-2	48.79	<Name>	38.86	38.38	37.34	36.83	37.54	37.02	10.660	Concrete	0.53
31	CE-2	BE-1	BE-4	17.87	<Name>	38.83	38.77	37.71	37.50	37.75	37.75	8.451	Concrete	0.51
31	CE-3	BE-4	BE-5	50.16	<Name>	38.77	38.38	37.35	36.82	37.75	37.02	10.764	Concrete	0.63
31	CE-4	BE-5	BE-6	32.45	<Name>	38.38	38.19	37.25	36.79	37.45	37.11	7.332	Concrete	0.48
31	CE-5	BE-2	BE-6	44.60	<Name>	38.38	38.19	36.82	36.30	37.02	36.55	10.138	Concrete	0.53
39	CE-6	BE-7	BE-8	62.17	<Name>	38.38	38.01	36.30	35.86	36.30	35.86	9.751	Concrete	0.53
41	CE-7	BE-8	BE-9	68.36	<Name>	38.01	37.81	36.51	35.86	36.71	36.06	6.583	Concrete	0.74
43	CE-8	BE-7	BE-9	66.46	<Name>	38.01	36.85	35.86	35.13	36.06	35.33	10.663	Concrete	0.80
45	CE-9	BE-8	BE-10	58.17	<Name>	37.85	37.85	35.13	34.52	35.33	34.52	13.524	Concrete	0.88
48	CE-10	BE-11	BE-12	20.43	<Name>	36.83	36.52	35.59	35.17	35.75	35.37	13.882	Concrete	0.59
50	CE-11	BE-12	BE-13	32.54	<Name>	36.52	36.29	35.17	34.57	34.57	34.57	14.157	Concrete	0.85
50	CE-13	BE-16	BE-16	38.26	<Name>	35.83	35.69	34.38	34.22	34.58	34.42	4.182	Concrete	0.39
57	CE-14	BE-16	BE-17	48.47	<Name>	35.69	35.73	34.22	34.19	34.42	34.39	0.619	Concrete	0.26
58	CE-15	BE-17	BE-17	32.49	<Name>	35.73	34.27	34.19	34.27	34.39	34.39	3.234	Concrete	0.36
60	CE-16	BE-17	BE-18	46.03	<Name>	35.73	35.47	34.19	33.88	34.39	34.08	6.733	Concrete	0.46
61	CE-17	BE-18	BE-19	21.57	<Name>	35.47	35.51	33.88	33.70	34.08	34.08	8.844	Concrete	0.51
65	CE-18	BE-20	BE-21	50.31	<Name>	36.41	35.91	34.62	33.99	34.62	34.19	12.513	Concrete	0.59
66	CE-19	BE-21	BE-19	16.63	<Name>	35.91	35.51	33.99	33.70	34.19	33.88	6.219	Concrete	0.44
66	CE-20	BE-22	BE-18	45.71	<Name>	36.13	35.47	34.78	33.88	34.88	34.08	19.688	Concrete	0.66
70	CE-21	BE-20	BE-23	42.58	<Name>	35.85	35.54	34.32	33.45	34.32	33.65	20.482	Concrete	1.10
71	CE-22	BE-23	BE-24	25.54	<Name>	35.54	35.45	33.65	32.89	33.65	33.69	7.983	Concrete	0.79
73	CE-23	BE-19	BE-24	49.36	<Name>	35.51	34.51	33.70	32.89	33.90	33.09	16.431	Concrete	0.63
75	CE-24	BE-25	BE-24	1.82	<Name>	35.51	35.45	32.89	32.89	32.89	32.87	0.273	Concrete	1.14
77	CE-25	BE-26	BE-26	63.84	<Name>	31.45	32.53	31.87	30.93	32.07	31.13	14.723	Concrete	1.03
79	CE-26	BE-24	BE-26	35.25	<Name>	31.81	30.28	30.83	30.56	29.13	25.673	Concrete	1.61	
82	CE-27	BE-27	BE-28	62.83	<Name>	34.88	33.27	33.51	31.90	33.71	32.10	25.629	Concrete	0.75
84	CE-28	BE-28	BE-29	12.66	<Name>	33.27	33.03	31.90	31.53	32.10	31.73	29.230	Concrete	0.80
81	CE-29	BE-32	BE-31	46.60	<Name>	34.34	34.46	34.14	33.60	34.34	33.81	24.561	Concrete	0.80

Aic, Externite, LHM, Astelle, stow
11/26/2015

Bentley Systems, Inc. Haestad Methods Solution Center
27 Shenn Company Drive Suite 201 W. Watertown, CT 06795 USA +1-203-755-1666

Bentley SewerGENS VB (SELECT/Tier3)
[B11.03.77]
Page 1 of 6

FlexTable: Conduit Table

Current Time: 0.000 hours														
ID	Label	Start Node	Stop Node	Length (Feet)	Catalog Class	Elevation Ground (Start) (ft)	Elevation Ground (Stop) (ft)	Invert (Start) (ft)	Invert (Stop) (ft)	Elevation Crown (Start) (ft)	Elevation Crown (Stop) (ft)	Slope (Calculated) (m/m)	Material	Velocity (m/s)
93	CE-32	BE-31	BE-33	44.28	<Name>	34.49	34.43	32.63	32.62	32.85	32.85	0.677	Concrete	0.39
95	CE-33	BE-33	BE-34	48.08	<Name>	34.43	34.31	32.62	32.49	32.83	32.69	2.708	Concrete	0.56
97	CE-34	BE-35	BE-34	43.54	<Name>	34.21	34.21	33.03	32.49	33.23	32.69	12.420	Concrete	0.56
99	CE-35	BE-34	BE-36	51.11	<Name>	34.21	34.72	32.49	32.40	32.69	32.60	1.740	Concrete	0.43
101	CE-36	BE-37	BE-36	36.54	<Name>	33.37	34.72	32.40	34.37	32.60	45.820	Concrete	0.62	
103	CE-37	BE-38	BE-38	43.46	<Name>	34.72	34.92	32.40	32.23	32.65	32.48	1.590	Concrete	0.57
107	CE-39	BE-39	BE-40	45.75	<Name>	34.42	33.79	32.06	31.88	32.31	31.13	3.869	Concrete	0.59
109	CE-40	BE-41	BE-41	38.59	<Name>	34.40	34.40	31.71	31.02	33.91	33.22	17.922	Concrete	0.66
112	CE-41	BE-38a	BE-42	44.35	<Name>	34.82	34.41	32.63	32.71	33.13	32.61	4.961	Concrete	0.42
114	CE-42	BE-43	BE-43	59.57	<Name>	34.41	33.90	32.71	31.63	32.91	31.83	18.131	Concrete	0.68
116	CE-43	BE-44	BE-44	57.12	<Name>	33.50	33.35	31.88	31.36	32.15	31.63	8.764	Concrete	0.78
117	CE-44	BE-43	BE-44	47.37	<Name>	33.90	33.55	31.63	31.38	31.83	31.58	5.278	Concrete	0.42
119	CE-45	BE-44	BE-45	34.03	<Name>	33.55	33.35	31.38	31.68	31.63	31.88	3.276	Concrete	0.59
124	CE-46	BE-45	BE-45	53.38	<Name>	33.44	33.20	32.24	31.68	32.44	31.88	10.490	Concrete	0.53
122	CE-48a	BE-46a	BE-46	22.46	<Name>	33.03	33.44	32.39	32.24	32.39	32.44	6.629	Concrete	0.46
125	CE-49	BE-47	BE-48	10.06	<Name>	33.17	33.05	31.11	30.97	31.36	31.25	13.911	Concrete	0.48
131	CE-52	BE-50	BE-50	44.09	<Name>	33.46	32.77	30.78	30.68	31.03	30.93	2.221	Concrete	0.50
132	CE-53	BE-49	BE-50	36.02	<Name>	33.44	33.46	32.13	30.78	32.33	30.88	34.688	Concrete	0.80
136	CE-54	BE-52	BE-53	36.45	<Name>	34.77	34.60	33.61	33.14	33.81	33.34	12.886	Concrete	0.59
138	CE-55	BE-53	BE-54	43.60	<Name>	34.60	34.83	33.14	32.60	33.34	32.26	3.287	Concrete	0.56
140	CE-56	BE-54	BE-55	50.63	<Name>	34.81	34.51	33.00	32.52	33.20	32.72	9.480	Concrete	0.76
141	CE-58	BE-56	BE-57	43.94	<Name>	34.21	33.91	32.24	32.01	32.44	32.21	5.247	Concrete	0.62
146	CE-59	BE-57	BE-58	59.00	<Name>	33.91	33.38	32.01	31.71	32.21	31.93	5.081	Concrete	0.61
148	CE-60	BE-58	BE-59	45.52	<Name>	33.38	32.98	31.71	31.34	31.91	31.54	6.184	Concrete	0.74
150	CE-61	BE-59	BE-61	85.08	<Name>	32.75	32.75	31.34	31.07	31.34	31.27	3.146	Concrete	0.53
154	CE-63	BE-61	BE-62	7.69	<Name>	32.73	32.71	31.07	30.99	31.27	31.19	10.393	Concrete	0.81